

FARMALL® A SERIES TRACTORS

CASE II
AGRICULTURE



ONE MULTI-TASKER DESERVES ANOTHER.

You're doing it all – from field to feedlot – but you wouldn't be anywhere else, doing anything else. Case IH understands. That's why Case IH created the Farmall A Series.

These tractors are tough, reliable, remarkably versatile and an excellent value. The easy-to-use controls allow you to get in and go, and the comfortable operator environment makes a long day seem shorter. Not that you're in any hurry to get inside.

BE READY.





POWER & PERFORMANCE

4-5

OPERATOR ENVIRONMENT

6-7

LOADERS & ATTACHMENTS

8-9

SERVICE & SUPPORT

10

SPECIFICATIONS

11

POWER THROUGH EVERY CHORE.

Farmalls were not the first tractors on the farm, but they were the first to truly do every job around the farm. In the 1920's, Farmall tractors began to replace the farm's team of horses. That heritage is reinterpreted for today's needs in the Farmall A series. These tractors feature transmission, engine and hydraulic systems that work seamlessly to make complex chores easier and faster than ever. With eight models in 2WD and optional MFD configurations, they're the right size – for your operation and your budget.





ALL THE HORSEPOWER YOU NEED.

Farmall A series tractors are powered by one of two turbocharged engines: the 110 A and 120 A are equipped with a 4-cylinder (4,5 L) engine (shown above), while the 125 A and 140 A feature a 6-cylinder (6,7 L). Both are carefully tuned to provide fuel efficiency and a long engine life, with grid heaters for cold mornings.



SMOOTH SHIFTING OPTIONS.

Shift easily from forward to reverse with the standard 8 x 8 clutchless Powershuttle, or choose the 8 x 8 Synchro mechanical option with mechanical reverser. For maximum control, choose the optional 16 x 8 Powershuttle with Hi-lo gear selection in every range. The controls are simple to use and ergonomically placed for easy operation.



BEST HITCH LIFT CAPACITY IN ITS CLASS.

Three-point hitch lift capacity is 3265 kg – a 23 percent lift advantage over competitive tractors of the same-class. Lift heavy loads with confidence thanks to the 83 Litres hydraulic flow capacity. Connect implements quickly and easily with two standard-equipment, deluxe remotes with flow control and breakaway couplers. Easily add two more remotes as needed.

COMFORT COMES STANDARD.

Hundreds of hours of research go into making long days seem shorter, controls seem more natural and chores seem less challenging in Case IH equipment. Farmall A series tractors continue the long-standing Farmall commitment, putting a high priority on operator comfort and productivity.

ENJOY THE VIEW.

Choose a Farmall A series FOPS tractor for an outstanding level of visibility and a lower base investment.



CLIMATE-CONTROLLED COMFORT.

Comfort doesn't have to break the bank. The Farmall A series cab platform keeps the elements out, while delivering the visibility you need to get the job done.



HAVE A SEAT.

An iso-mounted cab with a large operator platform helps reduce the impact of rough terrain and provide a more comfortable ride. Enjoy the standard contoured seat pictured here or opt for an air suspension seat.



FARMALL A CAB SHOWN

- A** EASY ACCESS TO SIMPLE TO USE CONTROLS
- B** WELL-PLACED, EASY-TO-READ GAUGES
- C** OPTIONAL AIR SUSPENSION SEAT
- D** SPACIOUS OPERATOR PLATFORM
- E** SHOCK AND NOISE-ABSORBING FLOOR MATS



WORK DAY & NIGHT.

Ample front and rear lighting is standard on Farmall A series equipment to help you finish up those last few items on your list before the end of the day.



DIG IN THE DIRT, NOT INTO YOUR WALLET.

You may not actually whistle when you work, but you'll probably smile. That's because the Farmall A series was created to give you everything you need and the option to choose only what you want. And when you're ready for your next Case IH machine, you'll find the resale value will keep that smile right where it is.



MULTI-TASK LIKE A PRO.

Haying, loading, blading, feeding the cattle and horses. It all needs to be done. Your Case IH dealer will work with you to choose the best options and attachments for your new Farmall A series tractor so you can check tasks off your list quickly and efficiently.



MORE THAN TRACTORS TO WORK FOR YOU: WE'VE GOT PEOPLE TO WORK WITH YOU.

When you buy a Case IH machine, you can be sure not only that you're buying the best product, but also that you've got the best dealer back-up behind you. Case IH dealers can offer advice on selecting the right machine, will ensure they deliver what you need when you need it, and will then continue to back you and your equipment with the service and spare parts backing you'd expect from a name as trusted as Case IH.

SKILLED BUSINESS ADVISOR AT YOUR DEALERSHIP DEMAND MORE FROM YOUR CASE IH DEALERSHIP.

Purchasing a standalone piece of new equipment? Keeping a whole fleet up-to-date? Whatever your size of operation, contact your local Case IH dealership for professional advice on your business needs. Case IH knows your farming needs best.



MAINTAIN THE PRODUCTIVITY OF YOUR INVESTMENT.

Case IH and its dedicated dealer network provide excellent support when you take delivery of your new machine and whilst it remains in your ownership. On the farm, you can rely on trained service professionals to maintain the productivity of your investment.



DEFEND YOUR WORK, INVESTMENT AND EQUIPMENT. ALWAYS CHOOSE CNH INDUSTRIAL GENUINE PARTS.

Protect the value of your investment. Behind every Case IH product stands an extensive parts logistics organisation, stocking parts for products both old and new. Choosing to fit genuine Case IH parts will maintain the safety, value and performance of your original investment.



MODELS	FARMALL 110 A	FARMALL 120 A	FARMALL 125 A	FARMALL 140 A
ENGINE				
Engine type	4 cylinder		6 cylinder	
Make / Model	Case IH FPT / NEF	Case IH FPT / NEF	Case IH FPT / NEF	Case IH FPT / NEF
Displacement (L)	4,5		6,7	
Aspiration	Turbo / intercooled			
Rated Power (kW/hp)	82 / 110	88 / 118	93 / 124	104 / 139
PTO Power (kW/hp)	71 / 95	74 / 99	77 / 105	88 / 118
Max Torque (Nm@1250 rpm)	510	515	555	625
Emissions certification	Tier 3			
TRANSMISSION				
8 x 8 Synchroshuttle	●	●	●	●
8 x 8 Hydraulic Powershuttle	○	○	○	○
16 x 8 Hydraulic Powershuttle & Hi-Lo	○	○	○	○
Creeper (option available on all transmissions)	○	○	○	○
FORWARD SPEED				
30 kph version (18.4R38)	31,7 kph			
40 kph version (18.4R38)	40,5 kph			
PTO (FULLY INDEPENDENT WET CLUTCH)				
Speed Std/Opt	540/540-1000		540-1000/-	
3 point hitch				
Category	II	II	II	II
Draft sensing	Top link			
Rear Hydraulic Power Lift	●	●	●	●
Lift capacity (kg)	2410			
Option with 1 add aux ram lift capacity (kg)	3639			
Option with 2 add aux rams lift capacity (kg)	4647			
HYDRAULICS				
Implement pump flow (L/min)	49			
Implement "Hi-Flow" pump (L/min)	83			
Steering pump flow (L/min)	34			
AXLES				
Front 2WD adjustable tread width (mm)	1422-2032			
Front 4WD adjustable tread width (mm)	1626-2032			
Flange axle: Rear adjustable tread width (mm)	1626-2032			
Optional bar axle:				
Rear adjustable tread width (mm)	1575-2337			
Front axle turn angle (2WD / 4WD) (°)	55			
WEIGHT				
Minimum shipping weight: 2WD ROPS / 4WD ROPS (kg)	3413 / 3678		3613 / 3878	
2WD cab / 4WD cab (kg)	3588 / 4013		3788 / 4213	
DIMENSIONS*				
Wheelbase: 2WD / 4WD (mm)	2571 / 2520		2631 / 2627	
Overall length (mm)			4216	
2WD / 4WD (mm)	4115 / 4216		4191 / 4293	
Height, top of ROPS (mm)	2959			
Height, top of cab (mm)	2816			
Height, top of exhaust (mm)	2959			
KEY CONFIGURATIONS				
2WD ROPS / 4WD ROPS	○ / ●	○ / ●	○ / ●	○ / ●
2WD cab / 4WD cab	○ / ○	○ / ○	○ / ○	○ / ○

● Standard ○ Optional – Not available * Dimensions shown are with 18.4x34 rear tires

! SAFETY NEVER HURTS!™ Always read the Operator's Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided.

This literature has been published for worldwide circulation. The standard and optional equipment and the availability of individual models may vary from one country to the next. Case IH reserves the right to undertake modifications without prior notice to the design and technical equipment at all times without this resulting in any obligation whatsoever to make such modifications to units already sold. Whilst every effort is made to ensure that the specifications, descriptions and illustrations in this brochure are correct at the time of going to press, these are also subject to change without prior notice. Illustrations may show optional equipment or may not show all standard equipment.



